

TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445. R.O.C

# Piezo Electric Buzzer PLD-27N36PQ

(RoHS)


### 1 . Electrical Characteristics

VER .:3

DATE:2009.08.05

Oscillation Frequency (KHz)	3.5 ±0.5	
Operating Voltage (Vdc)	3 ~ 28	
Rated Voltage (Vdc)	12	
Current Consumption (mA/max.)	15 at Rated Voltage	
Sound Pressure Level (dB/min.)	90 at 30cm at Rated Voltage	
Tone/Pulse Rate (Hz)	Constant + Slow Pulse 1.2 ±20%	
Tolle/I dise Rate (112)	at Rated Voltage	
Operating Temperature (°C)	-20 ~ +90	
Storage Temperature ( $^{\circ}\mathbb{C}$ )	-30 ~ +100	
Condition by wave (°C)	260±5°C / within 5sec	
Condition by hand (°C)	350±20°C / within 5sec	

### 2 . Voltage/ Current / Sound Pressure







TEL:8862-26013311 FAX:8862-26013898

505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

### 3. Dimensions and Material

### 3-1 Shape





Unit: mm

### 3-2 Material

Housing	ABS 777D plastic resin (Color : Black)	
Leading Pin	Tin Plated Brass	
Weight (Gram)	5.0	



TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C


### 4. TESTING METHOD

#### · Standard Measurement conditions

Temperature:25 $\pm$ 2 C Humidity:45-60%

#### · Acoustic Characteristics

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below.



#### 5. RELIABILITY

ITEMS	METHOD OF TEST AND MEASUREMENTS	PERFORMANCE
Coldness	After 98 hours of being exposed to -30 $^{\circ}\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Hotness	After 98 hours of being exposed to +100 $^{\circ}\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	No abnormality
withstanding	environment, should be returned to normal	shall exist
	environment for 2 hours, then re-proceed to test.	
Humidity	After 98 hours of being exposed to 40 $^\circ\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	No abnormality
withstanding	environment in actual operation, should be	shall exist
	returned to normal environment for 2 hours, then	
	re-proceed to test.	
Durability	Testing after 1,000 hours actual continuous	No abnormality
	operation.(at standard measurement conditions)	shall exist
Drop	A natural drop from 75cm high down to the	No abnormality
withstanding	ground.	shall exist
Vibration	Vibration of 2,000 cycles per minute, 2mm	No abnormality
withstanding	amplitude, applied in X, Y and Z directions for 30	shall exist
	minutes each.	



TEL:8862-26013311 FAX:8862-26013898

NO.4 Lane 505, Zhongzheng Rd,. Linkou Shiang, Taipei, Taiwan 24445 . R.O.C

#### 6. PACKAGE METHOD

<1> 160pcs per box, Total 10 boxes per carton, total 1600pcs carton;

Volume: L\*W\*H=520\*335\*290mm

< 2>N.W. : 8.0KGS; G.W. : 10.0KGS;

< 3 >RoHS Mark